

## **2000 / 60.29 m FAST SUPPLY VESSEL - GENERAL SPECIFICATIONS**



---

**175' FAST SUPPLY VESSEL AVAILABLE FOR PRIVATE SALE**

---

---

## REGISTRATION

Hull No.	TBD
Vessel Type	Fast Supply Vessel
Year Built	2000
Shipyard	USA

## DIMENSIONS

Dimensions	175 ft. X 32 ft. X 13 ft. (60.29 m X 9.75 m X 3.96 m)
Draft (Maximum Operations)	9 ft (2.74 m)
Freeboard (Maximum Draft)	6 ft (1.83 m)
Clear Deck	98 ft. x 30 ft. (29.87 m x 9.14 m)
Cargo Deck Area	2,940 sq. ft. (273.01 m2)
Deck Cargo Capacity	300 LT (304.81 MT)
Gross Tonnage	98 (88.9 MT)
Net Tonnage	67 (60.78 MT)
Deadweight Tonnage	500 LT (508.02 MT)

## CAPACITIES

Fuel Oil	20,263 gals. (76.70 m3)
Ballast	35,019 gals. (132.56 m3)
Potable Water	1,066 gals. (4.04 m3)
Dry Bulk	2,000 cu. ft. @ 80 psi (56.63 m3 @ 5.5 bar)

## PUMPS WITH DISCHARGE RATES

Fuel Oil	190 GPM @ 140 ft.
Water	190 GPM @ 140 ft.
Dry Bulk	120 Tons/Hour

## MACHINERY

Main Engines	Three (3) 3516B Twin Speed, 6,000 BHP
Auxiliary Engine	One (1) CAT C9, 503 BHP
Bow Thrusters	One (1) 150 HP Retractable Azimuthing
Speed	29 knots

Propellers	Three (3) Fixed/Open
Generators	Two (2) CAT 3406; 75 kW each

## SPECIAL FEATURES

Ship Motion	Roll Stabilization Tanks
Firefighting	One (1) Monitor @ 3,500 GPM
Quick Releases	
Walk-In Cooler	
Walk-In Freezer	

## ELECTRONICS

Electronics Package	Two (2) Radars, Two (2) VHF Radios, Sea SBB (Single Sideband Radio), Depth Sounder, GPS, Navtex Receiver, Necoder, Autopilot, 406 EPIRB
---------------------	---

## CLASSIFICATION


ABS	High-Speed Regulations
ABS	Loadline

## ACCOMMODATIONS


Accommodations	7
Passengers	65




# Schematics




MAIN DECK



ABOVE TANK TOP



BELOW TANK TOP



PILOT HOUSE

- Brine/Drill Water
- Ballast/Fresh Water
- Fuel Oil
- Liquid Mud
- Dry Bulk
- Anti-Roll
- Auxiliary
- Dirty Oil
- Fuel Oil Overflow
- Potable Water
- Sewage
- Void/Cofferdam
- Wash Water
- Liquid Mud Cleaning
- Methanol

All specifications subject to change.