## RIG 14: NOV-1500UE 1,500HP Diesel Electric

## Inventory:

- Drawworks:
- NOV-1500UE 1500 HP Diesel/Electric
- (2) GE 752 HP Traction Motors
- WICHITA 1500 HP Disc Brake
- Power:
- (3) KATO 1100 KW Gen Sets powered by Detroit Diesel DDC 1500 HP Diesel Engines
- Mast and Substructure:
- BHL International 146'H Cantilever/Split Level Mast, 750,000 SHL
- BHL International 27'6"H Sling Shot Type Sub w/ 400,000# Set Back Capacity (17,000'-5" OD)
- Mud Pumps:
- (2) HH HHF-1600, 1600 HP Triplex, 7500 psi Fluid Ends
- Each powered by GE 752 Traction Motors
- DC SCR Unit:
- GE Evolution Series "SCR (IECS)" E9000, 1200 Amps, 480 Volts, 3 Phase, 600 Volt Max
- Rotating and Traveling Equipment:
- 37-1/2" Rotary Table, powered by GE traction motor
- Blocks: 500-Ton National
- Iron roughneck type: Blohm & Voss Floor hand
- BOP Equipment:
- Shaffer 13-5/8" 5000# Annular BOP
- Cameron Type 13-5/8" 10,000# Double & Single Ram BOP
- 10,000# Choke Manifold
- Mud System:
- (3) Pit Mud System, 1500 Barrel Capacity
- Swaco & Mongoose Shakers
- Water Tanks
- Fuel Tank: 12,000 gal capacity
- Rig Houses:
- Top Dog House
- (2) Heaters, Skidded
- (24) Lockers, Bench Storage, Heaters, Fluorescent Lights
- Tool / Parts Storage Fluorescent Lights, w/ Misc. Parts, Skidded
- Drill Pipe and Drill Collars:
- 18,000' of 5.0" drill pipe (19.5lb)
- (21) each 6", (6) each 8" drillcollars
- Top Drive:
- CANRIG Model: 1035AC-500, 350-Ton Top Drive Assembly
- Other:
- Could add omni-directional walking system and hydraulic catwalk with commitment from operator
- Skid package for up to 50 feet.
- Mobilization Loads (50-55) Approximately













































